



SHV Jack Bulkhead Hermetically Sealed Connector Solder
Attachment Solder Cup Terminal, .350 inch D Hole

TECHNICAL DATA SHEET

PE4500

SHV Jack Bulkhead Hermetically Sealed Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole

Configuration

Connector	SHV Jack
Connector Interface Type	Solder Cup
Cable Attachment Method (Shield/Contact)	Solder
Body Style	Straight
Mount Method	Bulkhead
Isolated Ground / Hermetic	Hermetically Sealed

Electrical Specifications

Impedance, Ohms	50
Dielectric Withstanding Voltage, Vrms	5,000

Mechanical Specifications

Size

Length, in [mm]	2.268 [57.61]
Width/Dia., in [mm]	0.598 [15]
Weight, lbs [g]	0.041 [18.6]

Connector

Type	SHV Jack
Contact Material and Plating	Silver
Body Material and Plating	Brass, Nickel
Dielectric Type	PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant	Yes
----------------	-----

Plotted and Other Data

Notes:	Values at 25 °C, sea level
--------	----------------------------

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SHV Jack Bulkhead Hermetically Sealed Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole PE4500](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



SHV Jack Bulkhead Hermetically Sealed Connector Solder
Attachment Solder Cup Terminal, .350 inch D Hole

TECHNICAL DATA SHEET

PE4500

SHV Jack Bulkhead Hermetically Sealed Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SHV Jack Bulkhead Hermetically Sealed Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole PE4500](http://www.pasternack.com/shv-jack-standard-solder-cup-terminal-connector-pe4500-p.aspx)

URL: <http://www.pasternack.com/shv-jack-standard-solder-cup-terminal-connector-pe4500-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PE4500 CAD Drawing

SHV Jack Bulkhead Hermetically Sealed Connector Solder
Attachment Solder Cup Terminal, .350 inch D Hole



NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].
4. FITS MIL-C-17 AND EQUIVALENT CABLES.

DWG TITLE

PE4500

FSCM NO. 53919

2233

SIZE A

SCALE N/A

CAD FILE 052202

PE PASTERNAK®

Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451

Website: www.pasternack.com | E-Mail: sales@pasternack.com