


ADS-T3T3-18A	Stainless Precision TNC Plug To TNC Plug Up To 18 GHz		50Ω																					
<div></div>																								
<div><div>Note: (1)Re commend coupling nut torque: 13 in.-lbs. (2)Coupling nut retention force:≥ 101.2 lbs. (3)Contact captivation:≥ 6.1 lbs. (4)Durability (matings):≥500.</div><div><div>Typical VSWR</div><table><tr><td>Part Number</td><td>1Ghz</td><td>2~3Ghz</td><td>4~16Ghz</td><td>17~18Ghz</td></tr><tr><td>ADS-T3T3-18A</td><td>1.02</td><td>1.07</td><td>1.12</td><td>1.15</td></tr></table></div></div>				Part Number	1Ghz	2~3Ghz	4~16Ghz	17~18Ghz	ADS-T3T3-18A	1.02	1.07	1.12	1.15											
Part Number	1Ghz	2~3Ghz	4~16Ghz	17~18Ghz																				
ADS-T3T3-18A	1.02	1.07	1.12	1.15																				
<table><tr><td>Parts</td><td>Material</td><td>Plating (Micro-inch)</td></tr><tr><td>Retainer Ring</td><td>Brass</td><td>Tin-Zinc-Copper-Alloy 100 Over Copper 50</td></tr><tr><td>Gasket</td><td>Silicon</td><td></td></tr><tr><td>Contact Pin</td><td>Beryllium Copper</td><td>Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20</td></tr><tr><td>Insulator</td><td>Teflon</td><td></td></tr><tr><td>Body</td><td>Stainless Steel</td><td>Passivated</td></tr><tr><td>Coupling Nut</td><td>Stainless Steel</td><td>Passivated</td></tr></table>				Parts	Material	Plating (Micro-inch)	Retainer Ring	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50	Gasket	Silicon		Contact Pin	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20	Insulator	Teflon		Body	Stainless Steel	Passivated	Coupling Nut	Stainless Steel	Passivated
Parts	Material	Plating (Micro-inch)																						
Retainer Ring	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50																						
Gasket	Silicon																							
Contact Pin	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20																						
Insulator	Teflon																							
Body	Stainless Steel	Passivated																						
Coupling Nut	Stainless Steel	Passivated																						
Weight:																								

This part number complies with RoHS.

Notice: JYEBAO reserves the right to make modifications deemed appropriate.