

10 to 18GHz – High Pass Filter


Design Features

- ◆ High RF performance, ultra-competitive price.
- ◆ Military, space and commercial applications.
- ◆ Custom design available upon request.
- ◆ Guaranteed for one year standard.

RF Characteristics

Model Number	Pass Band (GHz)	Insertion Loss Max(dB)	VSWR Max	Rejection	Power (W)	Connector Type	Temp.(°C)
UIYHPF2825A10T18SF	10.0 ~ 18.0	1.2	2.0	50dB @DC-8.5GHz	30	SMA-F	-40 ~ +85
<p>2 Listed are specific frequency ranges and other ranges are available.</p> <p>2 Please provide the below informations when inquiring and mark * is required.</p> <p>* 1. The specific pass band frequency range</p> <p>* 2. The specific rejection and frequency</p> <p>3. Other special requests (such as Insertion Loss, VSWR, Connector Type, Dimension, etc.)</p>							

Mechanical Drawing



Unit: mm/ inch, General part tolerance is ± 0.2 mm unless otherwise stated.

Ver. 5

A2-5G, Zhujiang Plaza, Longxiang Blvd, Longgang District, Shenzhen 518172, China.

Tel: +86-755-25999990 25999909 Fax: +86-755-25999959 E-mail: sales@uiy.com Web: www.uiy.com