



## 4.1/9.5 Mini DIN Male to N Male Adapter IP67 UnMated

### TECHNICAL DATA SHEET

PE91253

#### Configuration

Connector 1	4.1/9.5 Mini DIN Male
Impedance 1	50 Ohms
Connector 2	N Male
Impedance 2	50 Ohms
Adapter Design	Standard
Body Style	Straight

#### Electrical Specifications

Frequency Range	DC to 6 GHz
Maximum VSWR	1.3:1

#### Frequency 1

Frequency, GHz	DC to 3
VSWR	1.15:1

#### Frequency 2

Frequency, GHz	3 to 4
VSWR	1.2:1

#### Mechanical Specifications

##### Size

Length, in [mm]	2.004 [50.9]
-----------------	--------------

##### Connector 1

Type	4.1/9.5 Mini DIN Male
Inner Conductor Material and Plating	Brass, Silver
Coupling Nut Material and Plating	Brass, Tri-Metal
Hex Size, mm	22
Torque, in-lbs [Nm]	90 [10.17]
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

##### Connector 2

Type	N Male
Inner Conductor Material and Plating	Brass, Silver
Coupling Nut Material and Plating	Brass, Tri-Metal
Hex Size, mm	20
Torque, in-lbs [Nm]	9 [1.02]
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [4.1/9.5 Mini DIN Male to N Male Adapter IP67 UnMated PE91253](#)



## 4.1/9.5 Mini DIN Male to N Male Adapter IP67 UnMated

### TECHNICAL DATA SHEET

PE91253

#### Environmental Specifications

##### Temperature

Operating Range

-55 to +120 deg C

Ingress Protection

IP67 UnMated

#### Compliance Certifications (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

REACH Compliant

06/16/2014

#### Plotted and Other Data

Notes:

- Values at +25 °C, sea level

4.1/9.5 Mini DIN Male to N Male Adapter IP67 UnMated from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [4.1/9.5 Mini DIN Male to N Male Adapter IP67 UnMated PE91253](http://www.pasternack.com/4.1-9.5-mini-din-male-n-male-straight-adapter-pe91253-p.aspx)

URL: <http://www.pasternack.com/4.1-9.5-mini-din-male-n-male-straight-adapter-pe91253-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE91253 CAD Drawing

4.1/9.5 Mini DIN Male to N Male Adapter IP67 UnMated



NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].			CAD FILE	061314	SCALE	N/A	SIZE	A	2233
---	--	--	----------	--------	-------	-----	------	---	------

DWG TITLE <b>PE91253</b>		FSCM NO. 53919	
-----------------------------	--	----------------	--



**PASTERNAK®**  
THE ENGINEER'S RF SOURCE  
Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623  
Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: [www.pasternack.com](http://www.pasternack.com) | E-Mail: [sales@pasternack.com](mailto:sales@pasternack.com)