





- NOTES:
- MATERIALS AND FINISHES:
BODY - BRASS, NICKEL PLATING (.00008 THICK MIN.)
CONTACT - BRASS, GOLD PLATING (.00003 THICK MIN.)
INSULATOR - PTFE
 - ELECTRICAL:
A. IMPEDANCE: 50 OHM
B. FREQUENCY RANGE: DC - 3 GHz
 - MECHANICAL:
A. DURABILITY: TNC, 500 CYCLES MIN.
AMC, 30 CYCLES MIN.
B. TEMPERATURE RANGE: -40° C TO 90° C
C. AMC INTERFACE IS FULLY COMPATIBLE WITH "U.FL" SERIES PRODUCT
 - PACKAGING:
A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED
"AMPHENOL, 31-6101-1, AND DATE CODE"

31-6101-1		REVISIONS			
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ.	A	RELEASE TO MFG	2/19/03	44375	CPM



RECOMMENDED MOUNTING HOLE
SCALE 2.000

CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES $\pm .015$ (0,381 mm) $\pm .005$ (0,127 mm) $\pm 1^\circ$	MATERIAL	DRAWN C. McGRATH	DATE 9/12/02	TITLE AMC PLUG TO TNC REVERSE POLARITY JACK PANEL ADAPTER		Amphenol Amphenol Corporation Communication and Network Products Division Danbury, CT U.S.A. 06810	
		ENGINEER G. ANTONINI	DATE 9/12/02				
		APPROVED O. BARTHELMES	DATE 2/19/03				
	REFERENCE SIMILAR TO 31-6101 GEN# ASSYMI_UFL	CAD FILE I:\TNC\31-6101-1	CODE ID 74868	DWG SIZE B	DRAWING NO. 31-6101-1	SCALE: 4.0:1	SHEET 2 OF 2