



RF Load 2 Watts To 6 GHz With Chain TNC Male

Electrical Specifications*

Description	Min	Тур	Max	Units
Frequency Range	DC		6	GHz
Impedance			50	Ohms
VSWR			1.2:1	
Input Power			2	Watts
Peak Power			1	KWatts

^{*} Values at 25°C, sea level

Mechanical Specifications

Temperature

Operating Range -55 to +125 deg C

Size

Length Width/Dia.

Weight

Connector Type

Inner Conductor Material and Plating Coupling Nut Material and Plating

Body Material and Plating

Dielectric Type

1.1 in [27.94 mm]

0.63 in [16 mm]

0.05952 lbs [27 g]

TNC Male Brass, Gold

Brass, Ternary Alloy Brass, Ternary Alloy

PTFE

Compliance Certifications (visit www.FairviewMicrowave.com for current document)

Plotted and Other Data

Notes

Values at 25 °C, sea level



Features:

• Connector: TNC Male

• Connection Method: Standard


Body Style: Straight

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



Typical Performance Data



RF Load 2 Watts To 6 GHz With Chain TNC Male from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.


For additional information on this product, please click the following link: RF Load 2 Watts To 6 GHz With Chain TNC Male STT0638

URL: http://www.fairviewmicrowave.com/rf-load-2-watts-6-ghz-chain-tnc-male-stt0638-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.







FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
RF Load 2 Watts To 6 GHz With Chain TNC Male	DWG NO STT0638		CAG	CAGE CODE 3FKR5		
	CAD FILE 072815	SHEET	SCALE N/A	SIZE A	5568	