



Precision SMA Male to SMA Female Swept
Right Angle Adapter Functional Up to 26.5 GHz

TECHNICAL DATA SHEET

PE91222

Configuration

Connector 1	SMA Male
Impedance 1	50 Ohms
Connector Specification 1	MIL-C-39012
Connector 2	SMA Female
Impedance 2	50 Ohms
Connector Specification 2	MIL-C-39012
Adapter Design	Precision
Body Style	Swept Right Angle

Electrical Specifications

Frequency Range	DC to 26.5 GHz
Maximum VSWR	1.35:1

Mechanical Specifications

Connector 1

Type	SMA Male
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	ASTM-B196
Coupling Nut Material and Plating	Passivated Stainless Steel
Coupling Nut Plating Specification	ASTM-A582, Alloy 303, Cond A
Hex Size, Inch	5/16
Torque, in-lbs [Nm]	8 [0.9]
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	ASTM-A582, Alloy 303, Cond A
Dielectric Type	PTFE

Connector 2

Type	SMA Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	ASTM-B196
Outer Conductor Material and Plating	Passivated Stainless Steel
Outer Conductor Plating Specification	ASTM-A582, Alloy 303, Cond A
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	ASTM-A582, Alloy 303, Cond A
Dielectric Type	PTFE

Environmental Specifications

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision SMA Male to SMA Female Swept Right Angle Adapter Functional Up to 26.5 GHz PE91222](#)



Precision SMA Male to SMA Female Swept
Right Angle Adapter Functional Up to 26.5 GHz

TECHNICAL DATA SHEET

PE91222

Plotted and Other Data

Notes:

- Values at +25 °C, sea level

Precision SMA Male to SMA Female Swept Right Angle Adapter Functional Up to 26.5 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision SMA Male to SMA Female Swept Right Angle Adapter Functional Up to 26.5 GHz PE91222](http://www.pasternack.com/sma-male-sma-female-swept-right-angle-adapter-pe91222-p.aspx)

URL: <http://www.pasternack.com/sma-male-sma-female-swept-right-angle-adapter-pe91222-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE91222 CAD Drawing

Precision SMA Male to SMA Female Swept Right Angle Adapter Functional Up to 26.5 GHz



NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE
PE91222

FSCM NO. 53919

150

SIZE A

SCALE N/A

CAD FILE 051414

PE PASTERNAK®
THE ENGINEER'S RF SOURCE
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com