



800-2500 MHz 2, 4 AND 8-WAY POWER DIVIDERS

Model #	Config.	Frequency	VSWR	Loss	Isolation	Amplitude	Phase	Forward Power	RF Connector
PD-M-0825-2SF	2-way	800-2500 MHz	1.3	0.5 dB	20 dB	+/- 0.2 dB	+/- 5°	50W	SMA
PD-M-0825-2S	2-way	800-2500 MHz	1.25	0.5 dB	20 dB	+/- 0.2 dB	+/- 5°	50W	SMA
PD-M-0825-2NF	2-way	800-2500 MHz	1.25	0.5 dB	20 dB	+/- 0.2 dB	+/- 5°	50W	N
PD-M-0825-4S	4-way	800-2500 MHz	1.3	0.8 dB	20 dB	+/- 0.4 dB	+/- 5°	50W	SMA
PD-M-0825-4N	4-way	800-2500 MHz	1.3	0.8 dB	20 dB	+/- 0.4 dB	+/- 5°	50W	N
PD-M-0825-4ST	4-way	800-2500 MHz	1.3	0.7 dB	20 dB	+/- 0.4 dB	+/- 5°	50W	SMA
PD-M-0825-4NT	4-way	800-2500 MHz	1.3	0.8 dB	20 dB	+/- 0.4 dB	+/- 5°	50W	N
PD-M-0825-8S	8-way	800-2500 MHz	1.4	1 dB	20 dB	+/- 0.5 dB	+/- 5°	50W	SMA
PD-M-0825-8N	8-way	800-2500 MHz	1.4	1 dB	20 dB	+/- 0.5 dB	+/- 5°	50W	N

(800-2500 MHz 2-Way Power Divider)
(SMA)


PART #

PD-M-0825-2SF

(800-2500 MHz 2-Way Power Divider)
(SMA)

PART #


PD-M-0825-2S

(800-2500 MHz 2-Way Power Divider)
(N)


PART #

PD-M-0825-2NF


800-2500 MHz 2, 4 AND 8-WAY POWER DIVIDERS

(800-2500 MHz 4-Way Power Divider)
(SMA)


PART #
PD-M-0825-4S

(800-2500 MHz 4-Way Power Divider)
(N)

PART #
PD-M-0825-4N


(800-2500 MHz 2-Way Power Divider)
(SMA Connector)

PART #
PD-M-0825-4ST

(800-2500 MHz 4-Way Power Divider)
(N Connector)


PART #
PD-M-0825-4NT

800-2500 MHz 2, 4 AND 8-WAY POWER DIVIDERS

(800-2500 MHz 8-Way Power Divider)
(SMA)

PART #

PD-M-0825-8S

(800-2500 MHz 8-Way Power Divider)
(N)

PART #

PD-M-0825-8N