



## SMP Female to SMP Female Adapter .562 Special Length

#### **TECHNICAL DATA SHEET**

PE91099

Configuration

Connector 1 SMP Female Impedance 1 50 Ohms SMP Female Connector 2 Impedance 2 50 Ohms Adapter Design Standard Body Style Straight

**Electrical Specifications** 

Frequency Range, GHz DC to 12 Maximum VSWR 1.15:1

Frequency 1

Frequency, GHz DC to 8 **VSWR** 1.1:1

Frequency 2

Frequency, GHz 8 to 12 **VSWR** 1.15:1

**Mechanical Specifications** 

**Temperature** 

Operating Range, deg C -55 to +125

0.562 [14.27] Length, in [mm] Width/Dia., in [mm] 0.13 [3.3]

Connector 1

**SMP Female** Type

Inner Conductor Material and Plating Beryllium Copper, Gold **Body Material and Plating** Beryllium Copper, Gold **PTFE** 

Dielectric Type

Connector 2

**SMP Female** Type

Inner Conductor Material and Plating Beryllium Copper, Gold Body Material and Plating Beryllium Copper, Gold

Dielectric Type **PTFE** 

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female to SMP Female Adapter .562 Special Length PE91099



© 2014 Pasternack Enterprises All Rights Reserved





# SMP Female to SMP Female Adapter .562 Special Length

### **TECHNICAL DATA SHEET**

PE91099

#### **Plotted and Other Data**

Notes:

• Values at +25 °C, sea level

SMP Female to SMP Female Adapter .562 Special Length from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female to SMP Female Adapter .562 Special Length PE91099

URL: http://www.pasternack.com/smp-female-smp-female-straight-adapter-pe91099-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE91099 CAD Drawing
SMP Female to SMP Female Adapter .562 Special Length

