



## N Female to N Female Adapter IP67 UnMated

### TECHNICAL DATA SHEET

PE91237

#### Configuration

Connector 1	N Female
Impedance 1	50 Ohms
Connector Specification 1	IEC 169-16 & MIL-C-39012, N
Connector 2	N Female
Impedance 2	50 Ohms
Connector Specification 2	IEC 169-16 & MIL-C-39012, N
Adapter Design	Standard
Body Style	Straight

#### Electrical Specifications

Frequency Range	DC to 6 GHz
Maximum VSWR	1.3:1

#### Mechanical Specifications

Size	
Length, in [mm]	1.496 [38]

#### Connector 1

Type	N Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

#### Connector 2

Type	N Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

#### Environmental Specifications

Temperature	
Operating Range	-45 to +125 deg C
Ingress Protection	IP67 UnMated

#### Compliance Certifications (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant	
REACH Compliant	06/16/2014

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [N Female to N Female Adapter IP67 UnMated PE91237](#)



## N Female to N Female Adapter IP67 UnMated

### TECHNICAL DATA SHEET

PE91237

#### Plotted and Other Data

Notes:

- Values at +25 °C, sea level


N Female to N Female Adapter IP67 UnMated from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [N Female to N Female Adapter IP67 UnMated PE91237](#)

URL: <http://www.pasternack.com/n-female-n-female-straight-adapter-pe91237-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE91237 CAD Drawing  
N Female to N Female Adapter IP67 UnMated



DWG TITLE

PE91237

FSCM NO. 53919

CAD FILE 061614

SCALE N/A

SIZE A

2233

NOTES:

1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

**PE PASTERNAK®**  
THE ENGINEER'S RF SOURCE

Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623  
Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: www.pasternack.com | E-Mail: sales@pasternack.com