

# ADAPTERS, BETWEEN-SERIES

TNC / SMA , DC - 18 GHz

## SPECIFICATIONS:

Models: 5015, 5016, 5017, 5018

**RoHS**  
Compliant

**AEROFLEX**  
A passion for performance.

### Electrical:


Frequency Range \_\_\_\_\_ DC - 18 GHz  
VSWR \_\_\_\_\_ 1.25:1 Max.  
Impedance \_\_\_\_\_ 50 Ohms  
Operating Temp. Range \_\_\_\_\_ -65°C to +125°C

### Mechanical:


Connectors\* \_\_\_\_\_ Passivated Stainless Steel  
Mates with MIL-STD-348  
Conductors \_\_\_\_\_ Gold Plated Beryllium Copper

\*TNC Connectors are Mode-Free up to 18GHz


Model Number: **5015**  
TNC Male / SMA Male




Model Number: **5017**  
TNC Male / SMA Female



Model Number: **5016**  
TNC Female / SMA Male



Model Number: **5018**  
TNC Female / SMA Female



Note: Dimensions in Brackets are Expressed in Millimeters and are for Reference Only.

5015: REV B

**AEROFLEX**  
INMET

Aeroflex / Inmet, Inc. • 300 Dino Drive, Ann Arbor, MI 48103 • U.S.A.  
888-244-6638 or 734-426-5553 • FAX: 734-426-5557  
www.aeroflex.com/inmet • inmet@aeroflex.com