

SMA Tee Adapter Male-Male-Male

TECHNICAL DATA SHEET

PE9379

Configuration

Connector 1 SMA Male
Impedance 1 50 Ohms
Connector 2 SMA Male
Impedance 2 50 Ohms
Connector 3 SMA Male
Adapter Design Standard
Body Style Tee

Mechanical Specifications

Size

 Length, in [mm]
 1.1 [27.94]

 Width/Dia., in [mm]
 0.312 [7.92]

 Height, in [mm]
 0.7 [17.78]

Connector 1

Type SMA Male
Inner Conductor Material and Plating Gold
Coupling Nut Material and Plating Brass, Nickel
Hex Size, in. 5/16
Torque, in-lbs [Nm] 5 [0.57]
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

Connector 2

Type SMA Male
Inner Conductor Material and Plating Gold
Coupling Nut Material and Plating Brass, Nickel
Hex Size, in. 5/16
Torque, in-lbs [Nm] 5 [0.57]
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

Connector 3

Type SMA Male
Inner Conductor Material and Plating Gold
Coupling Nut Material and Plating Brass, Nickel
Hex Size, in. 5/16
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

Environmental Specifications

Temperature

Operating Range -65 to +165 deg C

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Tee Adapter Male-Male PE9379





SMA Tee Adapter Male-Male-Male

TECHNICAL DATA SHEET

PE9379

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant REACH Compliant

06/18/2012

Plotted and Other Data

Notes:

Values at +25 °C, sea level

SMA Tee Adapter Male-Male-Male from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Tee Adapter Male-Male-Male PE9379

URL: http://www.pasternack.com/sma-male-male-male-tee-adapter-pe9379-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



© 2014 Pasternack Enterprises All Rights Reserved

PE9379 CAD Drawing

SMA Tee Adapter Male-Male

