

SFC1724S DATA SHEET

SMA Circulator With 17 dB Isolation From 1.7 GHz to 2.4 GHz And 10 Watts

Electrical Specifications

Description	Min	Тур	Max	Units
Frequency Range	1.7		2.4	GHz
Impedance		50		Ohms
Insertion Loss			0.75	dB
Isolation	17			dB
VSWR			1.3:1	
Forward Power, CW			10	Watts



Values at 25°C, sea level.

Mechanical Specifications

Size

 Length
 1.25 in [31.75 mm]

 Width
 0.709 in [18.01 mm]

 Height
 1.26 in [32 mm]

 Weight
 0.19489 lbs [88.4 g]

Body Material and Plating

Configuration

Connector 1 SMA Female
Connector 2 SMA Female
Connector 3 SMA Female

Environmental Specifications

Compliance Certifications (visit www.FairviewMicrowave.com for current

Aluminum

document)

RoHS Compliant Yes

Plotted and Other Data

Notes:

• Values at 25°C, sea level.




Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



Typical Performance Data




SMA Circulator With 17 dB Isolation From 1.7 GHz to 2.4 GHz And 10 Watts from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: SMA Circulator With 17 dB Isolation From 1.7 GHz to 2.4 GHz And 10 Watts SFC1724S

URL: http://www.fairviewmicrowave.com/sma-circulator-17-db-isolation-1.7-2.4-ghz-sfc1724s-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.





FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
SMA Circulator With 17 dB Isolation From 1.7 GHz to 2.4 GHz And 10 Watts	DWG NO SFC1724S			CAGE CODE 3FKR5		
	CAD FILE 012216	SHEET	SCAL	E N/A	SIZE A	5568