


REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



SPECIFICATIONS

- Frequency Range: 1–2 GHz
- Insertion Loss: 0.35dB Max.
- Isolation: 18dB Min.
- VSWR Input/Output: 1.25:1/1.20:1 Max.
- Amplitude Balance: ± 0.2 dB Max.
- Phase Balance: ± 3 Deg. Max.
- Power: 30 Watts

MATERIAL:		MCLI MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 544-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE:	N/A
			SHEET:	N/A
		UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: $\pm 1/64$ DECIMALS: $\pm 0.01 \pm 0.005$ ANGLE: $\pm 1/2^\circ$	DRAWING TITLE: 2-WAY POWER DIVIDER	
		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	PART NO. PS2-2/NF	
DRAWN:	DATE:		CAGE CODE:	DWG. NO.
Paiboon Luekhamhan	06-28-1999		OD2L5	80060
APPROVED:	DATE:	SIZE:	REV:	
T. Nguyen	06-28-1999	A	N/A	
			DO NOT SCALE THE DRAWING	