


**SMP Male Full Detent Shroud 2 Hole Flange  
Mount 0.354 Inch Hole Spacing**
**TECHNICAL DATA SHEET**
**PE44935**
**Configuration**

Connector	SMP Male, Full Detent
Connector Specification	MIL-STD-348
Connector Interface Type	None
Attachment Method (Shield/Contact)	None
Body Style	Straight
Mount Method	2 Hole Flange

**Electrical Specifications**

Impedance	50 Ohms
-----------	---------

**Mechanical Specifications**
**Size**

Length	0.48 in [12.19 mm]
Width/Dia.	0.176 in [4.47 mm]
Height	0.12 in [3.05 mm]
Weight	0.082 lbs [37.19 g]

**Connector**

Type	SMP Male
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	AMS-QQ-P-35

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

 Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SMP Male Full Detent Shroud 2 Hole Flange Mount 0.354 Inch Hole Spacing PE44935](http://www.Pasternack.com)



# SMP Male Full Detent Shroud 2 Hole Flange Mount 0.354 Inch Hole Spacing

## TECHNICAL DATA SHEET

PE44935

## Plotted and Other Data

## Notes:

- Values at +25 °C, sea level

SMP Male Full Detent Shroud 2 Hole Flange Mount 0.354 Inch Hole Spacing from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SMP Male Full Detent Shroud 2 Hole Flange Mount 0.354 Inch Hole Spacing PE44935](#)


URL: <http://www.pasternack.com/smp-male-standard-shroud-pe44935-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE44935 CAD Drawing

SMP Male Full Detent Shroud 2 Hole Flange Mount 0.354 Inch Hole Spacing



**PASTERNACK®**

Pasternack Enterprises, Inc.

P.O. Box 16759 | Irvine | CA | 92623

**Phone:** (949) 261-1920 | **Fax:** (949) 261-7451  
**Website:** [www.pastermack.com](http://www.pastermack.com) | **E-Mail:** [sales@pastermack.com](mailto:sales@pastermack.com)

DWG TITLE

PE44935

NOTES:  
1. UNLE  
2. ALL S  
3. DIME

DWG TITLE	PE44935				
NOTES:	1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].				
FSCM NO.	53919	CAD FILE	103013	SCALE	N/A
				SIZE	A
					150