



## Precision 2.4mm Female to 2.92mm Female Right Angle Adapter

### TECHNICAL DATA SHEET

PE91111

#### Precision 2.4mm Female to 2.92mm Female Right Angle Adapter

##### Configuration

Connector 1	2.4mm Female
Impedance 1	50 Ohms
Connector 2	2.92mm Female
Impedance 2	50 Ohms
Adapter Design	Precision
Body Style	Right Angle

##### Electrical Specifications

Frequency Range, GHz	DC to 40
Maximum VSWR	1.3:1
Maximum Insertion Loss, dB	0.31

##### Mechanical Specifications

###### Size

Length, in [mm]	0.456 [11.58]
Width/Dia., in [mm]	0.468 [11.89]

###### Connector 1

Type	2.4mm Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	MIL-G-45204
Outer Conductor Material and Plating	Passivated Stainless Steel
Outer Conductor Plating Specification	ASTM-A380
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	ASTM-A380
Dielectric Type	PPO

###### Connector 2

Type	2.92mm Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	MIL-G-45204
Outer Conductor Material and Plating	Passivated Stainless Steel
Outer Conductor Plating Specification	ASTM-A380
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	ASTM-A380
Dielectric Type	PPO

##### Compliance Certifications (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant	Yes
----------------	-----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision 2.4mm Female to 2.92mm Female Right Angle Adapter PE91111](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



## Precision 2.4mm Female to 2.92mm Female Right Angle Adapter

### TECHNICAL DATA SHEET

PE91111

#### Plotted and Other Data

Notes:

Values at 25 °C, sea level

Precision 2.4mm Female to 2.92mm Female Right Angle Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision 2.4mm Female to 2.92mm Female Right Angle Adapter PE91111](http://www.pasternack.com/2.4mm-female-2.92mm-female-right-angle-adapter-pe91111-p.aspx)

URL: <http://www.pasternack.com/2.4mm-female-2.92mm-female-right-angle-adapter-pe91111-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

# PE91111 CAD Drawing

Precision 2.4mm Female to 2.92mm Female Right Angle Adapter



NOTES:  
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE  
**PE91111**

FSCM NO. 53919

**PE PASTERNAK®**  
Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623  
Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: www.pasternack.com | E-Mail: sales@pasternack.com