



SHV Tee Adapter Jack-Plug-Jack

RF Adapters Technical Data Sheet

PE9249

Configuration

Connector 1	SHV Jack
Connector 2	SHV Plug
Impedance	50 Ohms
Body Style	Tee

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Operating Voltage, AC			3,000	Vrms

Mechanical Specifications

Size	
Length	1.712 in [43.48 mm]
Width	1.372 in [34.85 mm]
Height	0.57 in [14.48 mm]


Material Specifications

Description	Connector 1 Material	Plating	Connector 2 Material	Plating
Type	SHV Jack		SHV Plug	
Contact		Silver		Silver
Body	Brass	Nickel	Brass	Nickel

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SHV Tee Adapter Jack-Plug-Jack PE9249](#)

RF Adapters Technical Data Sheet

PE9249 CAD Drawing
SHV Tee Adapter Jack-Plug-Jack



NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE

PE9249

REV. -

FSCM NO. 53919

CAD FILE 090302

SCALE N/A

SIZE A

127

PE PASTERNAK®
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com