



# 50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz

## TECHNICAL DATA SHEET

PE6187

## 50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz

#### Configuration

Connector N Male
Heat Sink Aluminum
Connection Method Standard
Body Style Straight

#### **Electrical Specifications**

Frequency Range, GHz

Impedance, Ohms

Maximum VSWR

Maximum Input Power, Watts

Peak Power, KWatts

DC to 3

1.15:1

5

1

#### **Mechanical Specifications**

**Temperature** 

Operating Range, deg C -55 to +125

Size

 Length, in [mm]
 2 [50.8]

 Width/Dia., in [mm]
 0.78 [19.81]

 Weight, lbs [g]
 0.11 [49.9]

## Connector

Type N Male
Inner Conductor Material and Plating Brass, Gold
Outer Conductor Material and Plating Brass, Nickel
Coupling Nut Material and Plating Brass, Nickel
Body Material and Plating Brass, Nickel

# Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant Yes

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz PE6187

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.







## 50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz

## TECHNICAL DATA SHEET

PE6187

#### **Plotted and Other Data**

Notes:

Values at 25 °C, sea level

50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz PE6187

URL: http://www.pasternack.com/5-watts-n-male-rf-load-up-to-3-ghz-pe6187-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



**PE6187 CAD Drawing** 50 Ohm 5 Watts Aluminum N Male RF Load Up To 3 GHz

