



C Female Bulkhead Connector Solder Attachment  
Turret Terminal, .350 inch D Hole

TECHNICAL DATA SHEET

PE4973

**C Female Bulkhead Connector Solder Attachment Turret Terminal, .350 inch D Hole**

**Configuration**

Connector	C Female
Connector Specification	MIL-C-39012
Connector Interface Type	Turret
Cable Attachment Method (Shield/Contact)	Solder
Body Style	Straight
Mount Method	Bulkhead

**Electrical Specifications**

Impedance, Ohms	50
-----------------	----

**Mechanical Specifications**

**Temperature**

Operating Range, deg C	-65 to +165
------------------------	-------------

**Size**

Length, in [mm]	1.09 [27.69]
Width/Dia., in [mm]	0.595 [15.11]
Weight, lbs [g]	0.034 [15.42]

**Connector**

Type	C Female
Contact Material and Plating	Silver
Contact Plating Specification	QQ-S-365
Body Material and Plating	Brass, Nickel
Dielectric Type	Teflon

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant	Yes
----------------	-----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [C Female Bulkhead Connector Solder Attachment Turret Terminal, .350 inch D Hole PE4973](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



C Female Bulkhead Connector Solder Attachment  
Turret Terminal, .350 inch D Hole

TECHNICAL DATA SHEET

PE4973

**Plotted and Other Data**

Notes:

Values at 25 °C, sea level

C Female Bulkhead Connector Solder Attachment Turret Terminal, .350 inch D Hole from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [C Female Bulkhead Connector Solder Attachment Turret Terminal, .350 inch D Hole PE4973](http://www.pasternack.com/c-female-standard-turret-terminal-connector-pe4973-p.aspx)

URL: <http://www.pasternack.com/c-female-standard-turret-terminal-connector-pe4973-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PE4973 CAD Drawing

C Female Bulkhead Connector Solder Attachment Turret Terminal, .350 inch D Hole



NOTES:  
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
3. DIMENSIONS ARE IN INCHES [mm].  
4. FITS MIL-C-17 AND EQUIVALENT CABLES.

DWG TITLE  
**PE4973**

FSCM NO. 53919

CAD FILE

061402

SCALE N/A

SIZE A

XXX

**PE PASTERNAK®**  
Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623  
Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: [www.pasternack.com](http://www.pasternack.com) | E-Mail: [sales@pasternack.com](mailto:sales@pasternack.com)