





TECHNICAL DATA SHEET

PE44234

2.92mm Male Threaded Connector Field Replaceable Attachment 0.012 inch Pin

Configuration

Connector 2.92mm Male 0.012 inch Pin Connector Interface Type Cable Attachment Method (Shield/Contact) Field Replaceable Body Style Straight Mount Method Threaded

Electrical Specifications

Impedance, Ohms 50

Mechanical Specifications

Size

Length, in [mm] 0.625 [15.88] Width/Dia., in [mm] 0.312 [7.92] Weight, lbs [g] 0.009 [4.08]

Connector

2.92mm Male Type Contact Material and Plating Gold

Coupling Nut Material and Plating Passivated Stainless Steel Hex Size, in. 5/16

Torque, in-lbs [Nm] 8 [0.9]

Body Material and Plating Passivated Stainless Steel

Dielectric Type PPO

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Plotted and Other Data

Notes: Values at 25 °C, sea level

2.92mm Male Threaded Connector Field Replaceable Attachment 0.012 inch Pin from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.92mm Male Threaded Connector Field Replaceable Attachment 0.012 inch Pin PE44234

URL: http://www.pasternack.com/2.92mm-male-standard-0.012-pin-connector-pe44234-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



PE44234 CAD Drawing2.92mm Male Threaded Connector Field Replaceable Attachment 0.012 inch Pin

