



MCX Plug Right Angle Connector Solder Attachment  
Thru-Hole PCB, .200 inch x .067 inch Hole Spacing

TECHNICAL DATA SHEET PE44830

**Configuration**

Connector	MCX Plug
Connector Interface Type	Thru-Hole
Attachment Method (Shield/Contact)	Solder
Body Style	Right Angle

**Electrical Specifications**

Impedance	50 Ohms
Maximum Operating Voltage	335 Volts

**Mechanical Specifications**

**Temperature**

Operating Range	-65 to +165 deg C
-----------------	-------------------

**Size**

Length	0.392 in [9.96 mm]
Width/Dia.	0.236 in [5.99 mm]
Height	0.418 in [10.62 mm]

**Connector**

Type	MCX Plug
Contact Material and Plating	Brass, Gold
Body Material and Plating	Beryllium Copper, Gold
Dielectric Type	PTFE

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [MCX Plug Right Angle Connector Solder Attachment Thru-Hole PCB, .200 inch x .067 inch Hole Spacing PE44830](#)





## MCX Plug Right Angle Connector Solder Attachment Thru-Hole PCB, .200 inch x .067 inch Hole Spacing

### TECHNICAL DATA SHEET

PE44830

#### Plotted and Other Data

Notes:

- Values at +25 °C, sea level

MCX Plug Right Angle Connector Solder Attachment Thru-Hole PCB, .200 inch x .067 inch Hole Spacing from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [MCX Plug Right Angle Connector Solder Attachment Thru-Hole PCB, .200 inch x .067 inch Hole Spacing PE44830](http://www.pasternack.com/mcx-plug-right-angle-connector-solder-attachment-thru-hole-pcb-.200-inch-x-.067-inch-hole-spacing-pe44830)

URL: <http://www.pasternack.com/mcx-plug-standard-thru-hole-pcb-connector-pe44830-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

# PE44830 CAD Drawing

MCX Plug Right Angle Connector Solder Attachment Thru-Hole  
PCB, .200 inch x .067 inch Hole Spacing



DWG TITLE

**PE44830**

- NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
  2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
  3. DIMENSIONS ARE IN INCHES [mm].
  4. FITS MIL-C-17 AND EQUIVALENT CABLES.

FSCM NO. 53919

CAD FILE 081513

SCALE N/A

SIZE A

2233



Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623  
Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: www.pasternack.com | E-Mail: sales@pasternack.com