

SMA PIN-PIN Limiter, 100 Watts Peak Power, 16 dBm Flat Leakage, 11 GHz to 18 GHz



Limiters Technical Data Sheet

PE8027

Electrical Specifications

Internal DC Return

Description	Minimum	Typical	Maximum	Units
Frequency Range	11		18	GHz
Insertion Loss		2	2.2	dB
Input VSWR		2:1	2.2:1	
Output VSWR		2:1	2.2:1	
Leakage (CW) @ 1 Watt CW			+16	dBm
Leakage (Peak)			+23	dBm
Recovery Time		20		ns
Input Power (CW)			1	Watt
Input Power (Peak) @1us pulse, 0.1% Duty Cycle			100	Watt
Derated to 20% @ +125°C				
Limiting Threshold		+9		dBm

Electrical Specification Notes:

Values at 25°C, sea level. Specification @ +25°C and -10 dBm input power.

Mechanical Specifications

Size

 Length
 1.21 in [30.73 mm]

 Width
 0.31 in [7.87 mm]

 Height
 0.31 in [7.87 mm]

 Weight
 0.2 lbs [90.72 g]

Body Material and Plating Passivated Stainless Steel

Configuration

Style PIN-PIN Limiter
Package Style Connectorized Module
Impedance 50 Ohms
Connector 1 SMA Male
Connector 2 SMA Female

Environmental Specifications

Temperature

Operating Range -55 to +125 deg C
Storage Range -65 to +155 deg C
Shock 50 G's, 11 msec

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA PIN-PIN Limiter, 100 Watts Peak Power, 16 dBm Flat Leakage, 11 GHz to 18 GHz PE8027

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



ISO 9001: 2008 Registered



SMA PIN-PIN Limiter, 100 Watts Peak Power, 16 dBm Flat Leakage, 11 GHz to 18 GHz



Limiters Technical Data Sheet

PE8027

Vibration 20G, 100 to 2000Hz

Compliance Certifications (visit www.Pasternack.com for current document) RoHS Compliant **REACH Compliant** 06/18/2012

Plotted and Other Data

Notes:

Values at 25°C, sea level.

SMA PIN-PIN Limiter, 100 Watts Peak Power, 16 dBm Flat Leakage, 11 GHz to 18 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA PIN-PIN Limiter, 100 Watts Peak Power, 16 dBm Flat Leakage, 11 GHz to 18 GHz PE8027

URL: http://www.pasternack.com/50-ohm-sma-pin-pin-limiter-16-dbm-11-18-ghz-pe8027-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



