

Precision 1.0mm Male to 1.85mm Male Adapter

TECHNICAL DATA SHEET

PE91118

Precision 1.0mm Male to 1.85mm Male Adapter

Configuration

Connector 1 1.0mm Male Impedance 1 50 Ohms Connector 2 1.85mm Male Impedance 2 50 Ohms Adapter Design Precision Body Style Straight

Electrical Specifications

Frequency Range, GHz DC to 65 Maximum VSWR 1.25:1

Mechanical Specifications

Size

0.695 [17.65] Length, in [mm] Width/Dia., in [mm] 0.312 [7.92]

Connector 1

1.0mm Male Type Inner Conductor Material and Plating Beryllium Copper, Gold Inner Conductor Plating Specification ASTM-B488, 50µ Inches Coupling Nut Material and Plating Passivated Stainless Steel Coupling Nut Plating Specification SAE-AMS-2700 Body Material and Plating Passivated Stainless Steel **Body Plating Specification** SAE-AMS-2700

Dielectric Type Connector 2

Type 1.85mm Male

Inner Conductor Material and Plating Beryllium Copper, Gold Inner Conductor Plating Specification ASTM-B488, 50 µ inches Outer Conductor Material and Plating Passivated Stainless Steel Outer Conductor Plating Specification SAE-AMS-2700

Hex Size, Inch 5/16

Body Material and Plating Passivated Stainless Steel **Body Plating Specification** SAE-AMS-2700

Dielectric Type

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 1.0mm Male to 1.85mm Male Adapter PE91118

PEI

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal

ISO 9001 : 2008 Registered



Precision 1.0mm Male to 1.85mm Male Adapter

TECHNICAL DATA SHEET

PE91118

Plotted and Other Data

Notes:

Values at 25 °C, sea level

Precision 1.0mm Male to 1.85mm Male Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 1.0mm Male to 1.85mm Male Adapter PE91118

URL: http://www.pasternack.com/1.0mm-male-1.85mm-male-straight-adapter-pe91118-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



PE91118 CAD DrawingPrecision 1.0mm Male to 1.85mm Male Adapter

