



Precision 1.0mm Female to 1.85mm Female Adapter

TECHNICAL DATA SHEET

PE91109

Precision 1.0mm Female to 1.85mm Female Adapter

Configuration

Connector 1	1.0mm Female
Impedance 1	50 Ohms
Connector 2	1.85mm Female
Impedance 2	50 Ohms
Adapter Design	Precision
Body Style	Straight

Electrical Specifications

Frequency Range, GHz	DC to 65
Maximum VSWR	1.35:1

Mechanical Specifications

Size

Length, in [mm]	0.735 [18.67]
Width/Dia., in [mm]	0.31 [7.87]

Connector 1

Type	1.0mm Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	ASTM-B488, 50µ Inches
Outer Conductor Material and Plating	Passivated Stainless Steel
Outer Conductor Plating Specification	SAE-AMS-2700
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	SAE-AMS-2700
Dielectric Type	PEI

Connector 2

Type	1.85mm Female
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	ASTM-B488, 50 µ inches
Outer Conductor Material and Plating	Passivated Stainless Steel
Outer Conductor Plating Specification	SAE-AMS-2700
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	SAE-AMS-2700
Dielectric Type	PEI

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant	Yes
----------------	-----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision 1.0mm Female to 1.85mm Female Adapter PE91109](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



Precision 1.0mm Female to 1.85mm Female Adapter

TECHNICAL DATA SHEET

PE91109

Plotted and Other Data

Notes:

Values at 25 °C, sea level

Precision 1.0mm Female to 1.85mm Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision 1.0mm Female to 1.85mm Female Adapter PE91109](http://www.pasternack.com/1.0mm-female-1.85mm-female-straight-adapter-pe91109-p.aspx)


URL: <http://www.pasternack.com/1.0mm-female-1.85mm-female-straight-adapter-pe91109-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PE91109 CAD Drawing

Precision 1.0mm Female to 1.85mm Female Adapter



<div><div><div><div>PASTERNAK®</div><div>Pasternack Enterprises, Inc.</div><div>P.O. Box 16759 Irvine CA 92623</div><div>Phone: (949) 261-1920 Fax: (949) 261-7451</div><div>Website: www.pasternack.com E-Mail: sales@pasternack.com</div></div></div></div>		DWG TITLE		NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].		
PE91109		FSCM NO. 53919		CAD FILE	092613	SCALE N/A
				SIZE A	150	