

75 Ohm TNC Male Connector Crimp/ Solder Attachment for RG59, RG62



TECHNICAL DATA SHEET

PE44166

Configuration

ConnectorTNC MaleConnector Interface TypeRG59, RG62Attachment Method (Shield/Contact)Crimp/SolderBody StyleStraight

Electrical Specifications

Impedance 75 Ohms

Mechanical Specifications

Temperature

Operating Range -65 to +165 deg C

Size

 Length
 1.098 in [27.89 mm]

 Width/Dia.
 0.59 in [14.99 mm]

 Weight
 0.027 lbs [12.25 g]

Connector

Type TNC Male
Contact Material and Plating Brass, Gold
Contact Plating Specification 30μ in. minimum
Coupling Nut Material and Plating Brass, Nickel
Coupling Nut Plating Specification 100μ in. minimum
Body Material and Plating Brass, Nickel
Body Plating Specification 100μ in. minimum

Compliance Certifications (visit www.Pasternack.com for current document) RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm TNC Male Connector Crimp/Solder Attachment for RG59, RG62 PE44166





75 Ohm TNC Male Connector Crimp/ Solder Attachment for RG59, RG62



TECHNICAL DATA SHEET

PE44166

Plotted and Other Data

Notes:

• Values at +25 °C, sea level

75 Ohm TNC Male Connector Crimp/Solder Attachment for RG59, RG62 from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm TNC Male Connector Crimp/Solder Attachment for RG59, RG62 PE44166

URL: http://www.pasternack.com/tnc-male-rg59-rg62-connector-pe44166-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE44166 CAD Drawing

75 Ohm TNC Male Connector Crimp/Solder Attachment for RG59, RG62

