


CC11


SERIES CC11 RF.COAXIAL CONNECTORS



Series CC11 RF.Coaxial connectors are one kind of middle-power connectors with snap-on self-latch coupling mechanism , which have the advantages of vibration-proof , reliable connection , superior mechanical and electrical performances etc . They are widely used to connect the coaxial cables in radio equipment and instruments, accord to Q/MB516-91 specifications.

KEY PERFORMANCE			
Temperature range	-65 ~ +125℃	Dielectric Withstanding voltage	1500V
Characteristic Impedanced	50 Ω	Voltage rating	1000V
Frequency range	0 ~ 6GHz	VSWR	直式 ≤ 1.30 弯式 ≤ 1.40
Insulation resistance	≥ 5000M Ω	Durability	500 Cycles



INTERFACE MATING DIMENSIONS





Symbol	MAX(mm)	MIN(mm)	Symbol	MAX(mm)	MIN(mm)
a	Φ10.96	Φ10.902	h	Φ1.68	Φ1.65
b	Φ8.09	Φ8	i	—	Φ8.3
c	Φ3.06	Φ3.02	j	Φ11.095	Φ11.02
d	—	7.5	k	—	Φ20
e	3.53	3.5	l	5.2	5
f	9.158	7.5	m	3.5	3.475
g	5	4.8	n	Φ3.06	Φ3.02




CC11-KFD-1




CC11-KFD-2




CC11-KFD-3




A





CC11-KFD-4



A




CC11 (M)-KFD-1G







CC11 (M)-KFD-3G




A




CC11 (M)-KFD-4G




A




CC11 (M)-KFD-6G




Mounting hole




CC11 (M)-KFD-7G




Mounting hole



CC11 (M)-KFD-11G





Mounting hole








CC11-KFD-5




CC11-KFD-10



CC11-J601




Cable stripping dimensions




Type	Cable Type
CC11-J601	SFF-50-3-2



CC11-J601GA




Cable stripping dimensions




Type	Cable Type
CC11-J601GA	SFF-50-3-2



CC11-J607GA




Cable stripping dimensions




Type	Cable Type
CC11-J607GA	SFCJ-50-7-52



CC11-J609GA




Cable stripping dimensions




Type	Cable Type
CC11-J609GA	8FCJ-50-9-52



CC11-J7




Cable stripping dimensions




Type	Cable Type
CC11-J7	SYV-50-7-1



CC11-J8




Cable stripping dimensions




Type	Cable Type
CC11-J8	SYV-50-7-2



CC11-J28




Cable stripping dimensions




Type	Cable Type
CC11-J28	SYV-50-5-2



CC11-J58G




Cable stripping dimensions




Type	Cable Type
CC11-J58G	RG-58C/U




CC11-KF7




CC11-KF8




CC11-JW607GA



CC11-50JR 匹配负载




CC11-JB612 (G)







CC11-JB611 (G)




CC11-J-FSJ4




N/CC11-JJ 转接器



N/CC11-Jk 转接器




N/CC11-KJ 转接器





N/CC11-KK 转接器



CC11-KK 转接器

