



0 to 100 dB Rotary Step Attenuator, BNC Female To BNC
Female With 10 dB Step Rated To 1 Watt Up To 1000 MHz

TECHNICAL DATA SHEET

PE7034-2

Configuration

Design	Step, Bidirectional Attenuator
Connector 1	BNC Female
Connector 2	BNC Female
Body Material and Plating	Aluminum

Electrical Specifications

Frequency Range, MHz	DC to 1,000
Impedance, Ohms	50
Attenuation Value, dB	0 to 100
Step Size, dB	10
Step Type	Rotary
Maximum Input Power, Watts	1
Maximum VSWR	1.2:1

Frequency 1

Range, MHz	DC to 500
Attenuation Accuracy, dB	± 1

Frequency 2

Range, MHz	500 to 1,000
Attenuation Accuracy, dB	± 2

Mechanical Specifications

Temperature

Operating Range, deg C	-20 to +85
------------------------	------------

Size

Length, in [mm]	4.5 [114.3]
Width, in [mm]	4 [101.6]
Height, in [mm]	4 [101.6]

Connector 1

Type	BNC Female
------	------------

Connector 2

Type	BNC Female
------	------------

Compliance Certifications (visit www.Pasternack.com for current document)

REACH Compliant	06/18/2012
-----------------	------------

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [0 to 100 dB Rotary Step Attenuator, BNC Female To BNC Female With 10 dB Step Rated To 1 Watt Up To 1000 MHz PE7034-2](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



0 to 100 dB Rotary Step Attenuator, BNC Female To BNC
Female With 10 dB Step Rated To 1 Watt Up To 1000 MHz

TECHNICAL DATA SHEET

PE7034-2

Plotted and Other Data

Notes:

Values at 25 °C, sea level

Attenuation Accuracy +/-: (DC-500MHz) 0.5dB or 1%,
(500-1000MHz) 0.5dB or 2%

0 to 100 dB Rotary Step Attenuator, BNC Female To BNC Female With 10 dB Step Rated To 1 Watt Up To 1000 MHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [0 to 100 dB Rotary Step Attenuator, BNC Female To BNC Female With 10 dB Step Rated To 1 Watt Up To 1000 MHz PE7034-2](http://www.pasternack.com/100db-step-bnc-female-bnc-female-1-watt-attenuator-pe7034-2-p.aspx)

URL: <http://www.pasternack.com/100db-step-bnc-female-bnc-female-1-watt-attenuator-pe7034-2-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PE7034-2 CAD Drawing

0 to 100 dB Rotary Step Attenuator, BNC Female To BNC Female
With 10 dB Step Rated To 1 Watt Up To 1000 MHz

P/N	MAX. ATTEN.	STEP SIZE	LENGTH (L)	DIA. (D)	A	B	FIGURE
PE7034-1	1 dB	.1	2.00" [50.8]	1.50" [38.1]	0.77" [19.6]	0.83" [21.1]	1
PE7034-2	100 dB	10	2.67" [67.8]	1.50" [38.1]	1.44" [36.6]	0.82" [20.8]	1
PE7034-3	10 dB	1	1.83" [46.4]	1.30" [33.0]	0.72" [18.3]	0.63" [15.9]	1
PE7034-4	70 dB	10	2.71" [68.9]	1.30" [33.0]	1.50" [38.1]	0.65" [16.5]	1
PE7034-5	100 dB	10	4.02" [102.0]	1.30" [33.0]	2.39" [60.6]	0.97" [24.6]	1
PE7034-6	1 dB	.1	2.00" [50.8]	1.50" [38.1]	0.77" [19.6]	0.83" [21.1]	1




FIGURE 1

NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE

PE7034

PASTERNAK®
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com

FSCM NO. 53919

CAD FILE 011014

SCALE N/A

SIZE A

2233