

TNC

SERIES TNC RF.COAXIAL CONNECTORS




TNC Series RF coaxial connectors are one kind of mid & low power connectors with screw-coupling mechanism, which are developed according to American Military standard for MIL-C-39012. The products have the advantages of high seismic resistance and reliability, super electrical and mechanical performances. They are widely used in radio equipments and instruments and are interchangeable with the ones of TNC Series RF coaxial connectors from other countries. The products are using the enterprise criteria for Q/MB415-92.



SERIES TNC RF.COAXIAL CONNECTORS


KEY PERFORMANCE				
Temperature range		-65~+165℃	Insulation resistance	≧5000MΩ
Characteristic Impedance		50Ω	DielectricWithstanding voltage	1500V
Frequency range		0~11GHz	VSWR	≦1.30
Voltage rating		500V		
Contact resistance	Center conductor	≦0.002Ω	Durability	500 Cycles
	Outer conductor	≦0.0002Ω		

INTERFACE MATING DIMENSIONS






TNC-JB2等




Cable stripping dimensions




Type	Cable type	A	B	备注
TNC-JB2	SFT-50-2-1	Φ2.2	Φ3.0	外壳
TNC-JB3	SFT-50-3-1	Φ3.6	Φ4.6	锁锁



TNC-JWB3




Cable stripping dimensions




Type	Cable type
TNC-JWB3	SFT-50-3-1



TNC-KB2等




Cable stripping dimensions




Type	A	B	Cable type
TNC-KB2	Φ2.2	Φ3.0	SFT-50-2-1
TNC-KB3	Φ3.6	Φ4.6	SFT-50-3-1



TNC-JW3Y等




Cable stripping dimensions




Type	Cable type	L	A	B
TNC-JW3Y	SFF-50-1.5-1, SYV-50-2-1	23.9	6.3	16.3
TNC-JW4Y	SFF-50-2-2, SYV-50-2-2	28.5	5.4	18
TNC-JW5Y	SFF-50-3-1, SYV-50-3	28.5	5.4	18
TNC-JW8Y	SFF-50-5	28.5	5.4	18



TNC-J4Y等




Cable stripping dimensions




Type	Cable type	A
TNC-J4Y	SFF-50-2-2, SYV-50-2-2	46.9
TNC-J5Y	SYV-50-3	41.3



TNC-JWa




Cable stripping dimensions




Type	Cable type
TNC-JWa	8UJ-50-7-5



TNC-Ja




Cable stripping dimensions




Type	Cable type
TNC-Ja	8UJ-50-7-5



TNC-J5-3




Cable stripping dimensions




Type	Cable type
TNC-J5-3	SUV-50-3-5



TNC-J3Y




Cable stripping dimensions




Type	Cable type
TNC-J3Y	SYV-50-2-1, SFF-50-1.5-1



TNC-J3




Cable stripping dimensions



Type	Cable type
TNC-J3	SFF-50-1.5-1




TNC-J4等



Type	A	L	Cable type
TNC-J4	φ4.2	30	SFF-50-2-2, SYV-50-2-2
TNC-J5	φ5.2	30	SFF-50-3-1, SYV-50-3
TNC-J5A	φ3	24.7	SFF-50-1.5-1, SYV-50-2-1




TNC-J5A



Type	Cable type
TNC-J5A	SYV-50-3




TNC-J5-1



Type	Cable type
TNC-J5-1	SUV-50-3-5




TNC-Jw7AY



Type	Cable type
TNC-Jw7AY	SFF-50-5




TNC-J7AY




Type	Cable type
TNC-J7AY	SUV-50-5-5



TNC-J21




Cable stripping dimensions




Type	Cable type
TNC-J21	SDY-4




TNC-KF




Mounting hole




TNC-KF2



Mounting hole




Cable stripping dimensions



Type	Cable type
TNC-KF2	SFF-50-1 SYV-50-1




TNC-KY3



Mounting hole




Cable stripping dimensions




Type	Cable type
TNC-KY3	SFF-50-1.5-1 SYV-50-2-1



TNC-50KY






Mounting hole






TNC-KF3等




Type	A	Cable type
TNC-KF3	φ3.1	SFF-50-1.5-1, SYV-50-2-1
TNC-KF4	φ4.2	SFF-50-2-2, SYV-50-2-2
TNC-KF5	φ5.2	SFF-60-3-1, SYV-60-3



TNC-K4Y等




Cable stripping dimensions




Type	Cable type	L
TNC-K4Y	SFF-50-2-2, SYV-50-2-2	33.7
TNC-K5Y	SFF-60-3-1, SYV-60-3	33.4




TNC-KYW3Y



Mounting hole




Cable stripping dimensions




Type	Cable type
TNC-KYW3Y	SFF-50-1.5-1 SYV-50-2-1



TNC-J301S




Cable stripping dimensions




Type	Cable type
TNC-J301S	SFCF48-50-4-61



TNC-JW301S





Cable stripping dimensions





Type	Cable type
TNC-JW301S	SFCF48-50-4-61





TNC-JFD





TNC-50KFD1



TNC-50KFD2





TNC-50KFD3等



Type	A	B
TNC-50KFD3	8	6.47
TNC-50KFD4	9.5	5.47



TNC-50KFD5









SERIES TNC COAXIAL CONNECTORS





TNC-50KFD6



TNC-50KFD11





TNC-50KFD12等





Type	L
TNC-50KFD12	32.3
TNC-50KFD13	42.3



TNC-50KFD14





TNC-50KFD15









TNC-50KFD16





TNC-50KFD17




TNC-50KFD21




TNC-50KFD22



TNC-50KFD23等





安装开孔尺寸
Mounting hole





Type	L
TNC-50KFD23	2
TNC-50KFD24	9
TNC-50KFD26	5





TNC-50KFD27





TNC-50KFD28





TNC-50KFD29



TNC-50KFD30





TNC-50KFD31









TNC-50KFD32





TNC-50KFD33





TNC-50KFD34



TNC-50KFD35





TNC-50KFD36









TNC-50KFD37





TNC-50KFD38





TNC-50KWFD5



TNC-50KWFD6




TNC-50KWFD7







TNC-50KYD2




Mounting hole




TNC-50KYD




TNC-50Ka




TNC(M)-50KFD




Mounting hole



TNC(MF)-50KKY




Mounting hole







TNC(S)-50KKY




N/TNC-JJ




N/TNC-KK



N/TNC-KJ




N/TNC-JK







TNC-JJ





TNC-JK




TNC-KKK



TNC-KKF




TNC-KK







TNC-50KKY




Mounting hole




TNC-50KY-1




Mounting hole




TNC-KF3A等



Mounting hole




Cable stripping dimensions




Type	A	Cable type
TNC-KF3A	3.1	8FF-50-1.5-1, SYV-50-2-1
TNC-KF4A	4.2	8FF-50-2-2, SYV-50-2-2
TNC-KF5A	5.2	8FF-50-3-1, SYV-50-3



TNC-KFD




Mounting hole






TNC-JW3等




Type	A	Cable type
TNC JW3	φ3	SFF 50 1.5、SYV 50 2 1
TNC JW4	φ4.2	SFF 50 2 2、SYV 50 2 2
TNC JW5	φ5.2	SFF 50 3 1、SYV 50 3

TNC-J7-1等




Type	A	L	Cable type
TNC J7 1	φ10.5	45	SYV 50 7 1
TNC J8	φ11.5	45	SYV 50 7 2
TNC J27	φ7.4	47	SYV 50 5 1

TNC JW6A




Cable type: SYV 50 5

TNC J6A




Cable type: SYV 50 5

TNC J9YA




Cable type: SYV 50 9

TNC J12Y




Cable type: SYV 75 3

TNC JLMR240



Cable type: LMR240


TNC J301



Cable type: SUJ 50 3 5




TNC JC142G



Cable type: SFT 142


TNC J400Y

电筒尺寸




Cable type: LMR400

TNC 50JR 1W




TNC JW25




Cable Type: HABIA T2C 500 25


TNC JFD1




TNC 50KR 1W




TNC JFD2



TNC JFD3



TNC JFD4



TNC JFD5

