

Keysight 8490D Coaxial Attenuators

Technical Overview

dc to 50 GHz 2.4 mm connectors





Introduction

The Keysight Technologies, Inc. 8490D family is a line of precision fixed coaxial attenuators with performance specified up to 50 GHz. These attenuators use the 2.4 mm coaxial connector, which exhibits excellent performance from dc to 50 GHz. The 8490D family has attenuation values of 3, 6, 10, 20, 30, and 40 dB.

The Keysight 8490D family of 2.4 mm fixed coaxial attenuators is assembled and tested with the same meticulous care as their lower frequency counterparts: the Keysight 8491, 8492, and 8493 families. These attenuators are all tested on Keysight precision analyzers to assure specifications over the full frequency range.

Applications

Ruggedness, reliability, and small size make these attenuators useful both on the bench and in systems applications. With their accuracy and low SWR they are ideally suited for extending the range of sensitive power meters for higher power measurements. The same characteristics lend themselves to applications such as calibration standards and RF substitution measurements. With their broad dc to 50 GHz frequency range and reasonable cost, general applications such as the reduction of power level to sensitive components and instrumentation systems are attractive and appropriate uses for these attenuators.

Use of test data is an effective means of reducing measurement uncertainty at RF and microwave frequencies. This data is available for the 8490D as Option 890. Data is generated by an automatic network analyzer and is supplied as a tabulated list of attenuation and SWR at every 400 MHz from 400 MHz to 50 GHz. Measurements are directly traceable to NIST standards, and feature very low uncertainties.

Specifications and Ordering Information

	Attenuation (dB)			SWR (Maximum)			Atten. Data Uncert. (dB)
	Min. (GHz)	Max. (GHz)	Max. (GHz)	(GHz)	(GHz)	(GHz)	(GHz)
	0 to 50	0 to 26.5	26.5 to 50	0 to 26.5	26.5 to 40	40 to 50	0.4 to 50
8490D-003	2.5	3.9	4.8	1.15	1.25	1.45	±0.6
8490D-006	5.4	6.9	7.8	1.15	1.25	1.45	±0.6
8490D-010	9.4	10.9	11.3	1.15	1.25	1.45	±0.6
8490D-020	19.2	21.3	21.7	1.15	1.25	1.45	±0.6
8490D-030	29.2	31.3	31.7	1.15	1.25	1.45	±0.8
8490D-040	38.2	42.5	42.5	1.08	1.15	1.25	±1.7

Specifications	
Frequency range	dc to 50 GHz
Impedance (nominal)	50 μ
Connector	2.4 mm
Power (maximum)	1 W average; 100 W peak
Environmental	
Temperature	
Operating	-5°C to +50°C
Non-operating	-55°C to +75°C
Altitude	
Operating	15,000 ft
Non-operating	50,000 ft
Humidity	Cycling, 5 days, +40°C @ 95% R.H.
Vibration	0.015 in., 5-55-5 Hz, 14 min., 3 axes
Shock	100 g, 1 to 2 ms, 3 times, 3 planes
Dimensions	
Length	
	27 mm (1.06 in.) 3, 6, 10, 20 dB
	29 mm (1.14 in.) long 30, 40 dB
Diameter	8 mm (.312 in.)

Ordering information	
Coaxial attenuator	
8490D	dc to 50 GHz, 2.4 mm coaxial connector
Options	
To add options to a product, use the following ordering scheme:	
Model	8490D
Model options	8490D-opt#1 8490D-opt#2
Attenuation (must choose one)	
8490D-003	3 dB attenuation
8490D-006	6 dB attenuation
8490D-010	10 dB attenuation
8490D-020	20 dB attenuation
8490D-030	30 dB attenuation
8490D-040	40 dB attenuation
8490D-UK6	Calibration data

myKeysight

myKeysight

www.keysight.com/find/mykeysight

A personalized view into the information most relevant to you.



www.axistandard.org

AdvancedTCA® Extensions for Instrumentation and Test (AXIe) is an open standard that extends the AdvancedTCA for general purpose and semiconductor test. Keysight is a founding member of the AXIe consortium.



www.lxistandard.org

LAN eXtensions for Instruments puts the power of Ethernet and the Web inside your test systems. Keysight is a founding member of the LXI consortium.



www.pxisa.org

PCI eXtensions for Instrumentation (PXI) modular instrumentation delivers a rugged, PC-based high-performance measurement and automation system.



Three-Year Warranty

www.keysight.com/find/ThreeYearWarranty

Keysight's commitment to superior product quality and lower total cost of ownership. The only test and measurement company with three-year warranty standard on all instruments, worldwide.



Keysight Assurance Plans

www.keysight.com/find/AssurancePlans

Up to five years of protection and no budgetary surprises to ensure your instruments are operating to specification so you can rely on accurate measurements.



www.keysight.com/quality

Keysight Electronic Measurement Group
DEKRA Certified ISO 9001:2008
Quality Management System

Keysight Channel Partners

www.keysight.com/find/channelpartners

Get the best of both worlds: Keysight's measurement expertise and product breadth, combined with channel partner convenience.

For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at: www.keysight.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 6375 8100

Europe & Middle East

Austria	0800 001122
Belgium	0800 58580
Finland	0800 523252
France	0805 980333
Germany	0800 6270999
Ireland	1800 832700
Israel	1 809 343051
Italy	800 599100
Luxembourg	+32 800 58580
Netherlands	0800 0233200
Russia	8800 5009286
Spain	0800 000154
Sweden	0200 882255
Switzerland	0800 805353
	Opt. 1 (DE)
	Opt. 2 (FR)
	Opt. 3 (IT)
United Kingdom	0800 0260637

For other unlisted countries:
www.keysight.com/find/contactus
(BP-06-09-14)