

ADAPTERS, BETWEEN SERIES TNC / BNC

DC - 8 GHz

api 
technologies corp.
> INMET

MODELS: 5034, 5035, 5036, 5037

SPECIFICATIONS:

Electrical:


Frequency Range _____ DC — 8 GHz
VSWR _____ 1.30:1 Max.
Impedance _____ 50 Ohms
Operating Temp. Range _____ -65°C to +125°C

Mechanical:


TNC Connectors*
Mates with MIL-STD-348
Bodies _____ Passivated Stainless Steel
Coupling Nuts _____ Nickel Plated Brass
BNC Connectors _____ Nickel Plated Brass
Mates with MIL-STD-348
Conductors _____ Gold Plated Beryllium Copper

*TNC Connectors are Mode-Free up to 18GHz


Model Number: **5034**
TNC Male / BNC Male




Model Number: **5036**
TNC Male / BNC Female



Model Number: **5035**
TNC Female / BNC Male



Model Number: **5037**
TNC Female / BNC Female



Note: Dimensions in Brackets are Expressed in Millimeters and are for Reference Only.
Design specifications are subject to change without notice.
Contact factory for technical specifications before purchasing or use.

5034; REV C

300 Dino Drive • Ann Arbor, MI 48103-9457 U.S.A. • 888-244-6638 or 734-426-5553 • FAX 734-426-5557 • inmet.apitech.com