



Precision SMA Male to N Female Adapter

TECHNICAL DATA SHEET

PE9433

Configuration

Connector 1	SMA Male
Impedance 1	50 Ohms
Connector Specification 1	MIL-C-39012
Connector 2	N Female
Impedance 2	50 Ohms
Connector Specification 2	MIL-C-39012
Adapter Design	Precision
Body Style	Straight

Electrical Specifications

Frequency Range	DC to 18 GHz
Maximum VSWR	1.15:1

Mechanical Specifications

Size

Length, in [mm]	1.65 [41.91]
Width/Dia., in [mm]	0.625 [15.88]

Connector 1

Type	SMA Male
Hex Size, in.	5/16

Connector 2

Type	N Female
------	----------

Environmental Specifications

Temperature

Operating Range	-65 to +125 deg C
-----------------	-------------------


Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision SMA Male to N Female Adapter PE9433](#)

PE9433

PE9433 CAD Drawing
Precision SMA Male to N Female Adapter



DWG TITLE

PE9433

NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

REV. -

FSCM NO. 53919

CAD FILE 091010

SCALE N/A

SIZE A

127



Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com