



Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz
With a Nominal 0 dB Gain With SMA Female Input Connector

TECHNICAL DATA SHEET

PE9887-11

Configuration

| | |
|-----------------|-------------|
| Frequency Range | 1 to 18 GHz |
| Polarization | Linear |
| Interface 1 | Female |
| Interface 2 | SMA Female |

Electrical Specifications (Values at 25°C, sea level)

| Description | Minimum | Typical | Maximum | Units |
|-------------|---------|---------|---------|-------|
| Input Power | | | 50 | Watts |
| Input VSWR | | | 1.5:1 | |

Mechanical Specifications

Size

| | |
|--------|----------------------|
| Length | 9.606 in [243.99 mm] |
| Width | 6.457 in [164.01 mm] |
| Height | 8.031 in [203.99 mm] |
| Weight | 3.2 lbs [1.45 Kg] |

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Plotted and Other Data

Notes:

- Values at 25 °C, sea level

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz With a Nominal 0 dB Gain With SMA Female Input Connector PE9887-11](#)






Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz
With a Nominal 0 dB Gain With SMA Female Input Connector

TECHNICAL DATA SHEET

PE9887-11

Typical Performance Data



Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz With a Nominal 0 dB Gain With SMA Female Input Connector PE9887-11](#)






Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz
With a Nominal 0 dB Gain With SMA Female Input Connector

TECHNICAL DATA SHEET

PE9887-11



Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz With a Nominal 0 dB Gain With SMA Female Input Connector from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz With a Nominal 0 dB Gain With SMA Female Input Connector PE9887-11](http://www.pasternack.com/broadband-gain-horn-antenna-1-18-ghz-11-db-sma-pe9887-11-p.aspx)

URL: <http://www.pasternack.com/broadband-gain-horn-antenna-1-18-ghz-11-db-sma-pe9887-11-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE9887-11 CAD Drawing

Broadband Gain Horn Antenna Operating From 1 GHz to 18 GHz
With a Nominal 0 dB Gain With SMA Female Input Connector

