


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 17–22 GHz
 Insertion Loss: 1.8dB Max.
 Isolation: 12dB Min.
 Phase Balance: ±15 Deg. Max.
 Amplitude Balance: ±0.75dB Max.
 VSWR: 2.00:1 Max.
 Power: 20W (Load vswr@1.2)

MATERIAL:	
/	
DRAWN:	DATE:
Paiboon Luekhamhan	07-08-2008
APPROVED:	DATE:
T. Nguyen	07-08-2008



MICROWAVE COMMUNICATIONS LABORATORIES INC.
 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710
 TEL: (727) 344-6254 FAX: (727) 381-6116
<http://www.mcli.com>

SCALE:	N/A
SHEET:	N/A

UNLESS OTHERWISE SPECIFIED:
 TOLERANCES
 IN (INCHES) OR [mm] (MILLIMETERS)
 FRACTIONS: ± 1/64
 DECIMALS: ±.01 ±.005
 ANGLE: ±1/2°

DRAWING TITLE: 3-WAY POWER DIVIDERS

PART NO. PS3-77

PROPRIETARY NOTICE:
 THE INFORMATION IN THIS DRAWING IS PROPRIETARY
 AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN
 PERMISSION FROM MICROWAVE COMMUNICATIONS
 LABORATORIES INC. (MCLI)

CAGE CODE:	SIZE:	REV:	DWG NO.
OD2L5	N/A	N/A	81560
DO NOT SCALE THE DRAWING			

