

P/STERNACK

2.4mm Female to Mini SMP Female Adapter

TECHNICAL DATA SHEET

PE91123

Configuration

Connector 1 2.4mm Female
Impedance 1 50 Ohms
Connector Specification 1 MIL-STD-34B
Connector 2 Mini SMP Female
Impedance 2 50 Ohms
Connector Specification 2 MIL-STD-34B
Adapter Design Standard

Electrical Specifications

Frequency Range, GHz DC to 50 Maximum VSWR 1.25:1

Mechanical Specifications

Temperature

Body Style

Operating Range,deg C -55 to +125

Size

Length, in [mm] 0.834 [21.18] Width/Dia., in [mm] 0.25 [6.35]

Connector 1

Type 2.4mm Female Inner Conductor Material and Plating Beryllium Copper, Gold Inner Conductor Plating Specification MIL-G-45204, Type 1, Grade C, Class 1 Outer Conductor Material and Plating Beryllium Copper, Gold Outer Conductor Plating Specification MIL-G-45204, Type 1, Grade C, Class 1 Body Material and Plating Beryllium Copper, Gold **Body Plating Specification** MIL-G-45204, Type 1, Grade C, Class 1 Dielectric Type **PTFE**

Straight

Connector 2

Mini SMP Female Type Inner Conductor Material and Plating Beryllium Copper, Gold Inner Conductor Plating Specification MIL-G-45204, Type 1, Grade C, Class 1 Outer Conductor Material and Plating Beryllium Copper, Gold Outer Conductor Plating Specification MIL-G-45204, Type 1, Grade C, Class 1 Body Material and Plating Beryllium Copper, Gold **Body Plating Specification** MIL-G-45204, Type 1, Grade C, Class 1 Dielectric Type PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4mm Female to Mini SMP Female Adapter PE91123



ISO 9001: 2008 Registered





2.4mm Female to Mini SMP Female Adapter

TECHNICAL DATA SHEET

PE91123

Plotted and Other Data

Notes:

• Values at +25 °C, sea level

2.4mm Female to Mini SMP Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4mm Female to Mini SMP Female Adapter PE91123

URL: http://www.pasternack.com/2.4mm-female-mini-smp-female-straight-adapter-pe91123-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE91123 CAD Drawing 2.4mm Female to Mini SMP Female Adapter

