



Precision 1.0mm Male to 1.85mm Female Adapter

TECHNICAL DATA SHEET

PE91108

Precision 1.0mm Male to 1.85mm Female Adapter

Configuration

Connector 1 1.0mm Male Impedance 1 50 Ohms 1.85mm Female Connector 2 Impedance 2 50 Ohms Adapter Design Precision Body Style Straight

Electrical Specifications

Frequency Range, GHz DC to 65 Maximum VSWR 1.35:1

Mechanical Specifications

Size

0.73 [18.54] Length, in [mm] Width/Dia., in [mm] 0.31 [7.87]

Connector 1

1.0mm Male Type Inner Conductor Material and Plating Beryllium Copper, Gold Inner Conductor Plating Specification ASTM-B488, 50µ Inches Coupling Nut Material and Plating Passivated Stainless Steel Coupling Nut Plating Specification SAE-AMS-2700 Hex Size, Inch 15/64 Torque, in-lbs [Nm] 3 [0.34] Body Material and Plating Passivated Stainless Steel **Body Plating Specification** SAE-AMS-2700 Dielectric Type PEI

Connector 2

Type 1.85mm Female Inner Conductor Material and Plating Bervllium Copper, Gold Inner Conductor Plating Specification ASTM-B488, 50 µ inches Outer Conductor Material and Plating Passivated Stainless Steel Outer Conductor Plating Specification SAE-AMS-2700 Coupling Nut Plating Specification SAE-AMS-2700 Body Material and Plating Passivated Stainless Steel Dielectric Type PEI

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 1.0mm Male to 1.85mm Female Adapter PE91108

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PF91108 RFV 1 0

ISO 9001: 2008 Registered





Precision 1.0mm Male to 1.85mm Female Adapter

TECHNICAL DATA SHEET

PE91108

Compliance Certifications (visit www.Pasternack.com for current document) **RoHS Compliant**

Plotted and Other Data

Notes: Values at 25 °C, sea level

Precision 1.0mm Male to 1.85mm Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 1.0mm Male to 1.85mm Female Adapter PE91108

URL: http://www.pasternack.com/1.0mm-male-1.85mm-female-straight-adapter-pe91108-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PF91108 RFV 1 0



PE91108 CAD Drawing
Precision 1.0mm Male to 1.85mm Female Adapter

