

TECHNICAL DATA SHEET

PE4123

SMA Female
Solder Cup
Solder
Right Angle
4 Hole Flange

DC to 18 GHz
50 Ohms
1.2:1

0.71 in [18.03 mm]
0.5 in [12.70 mm]
0.685 in [17.4 mm]
0.013 lbs [5.9 g]

SMA Female
Beryllium Copper, Gold
MIL-G-45204
Stainless Steel, Nickel
Teflon

06/18/2012



UL
REGISTERED FIRM

TECHNICAL DATA SHEET


PE4123

Notes:

- The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE4123 CAD Drawing

SMA Female Right Angle Connector Solder Attachment 4 Hole
Flange Mount Solder Cup Terminal, .340 inch Hole Spacing



DWG TITLE

PE4123

NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].
4. FITS MIL-C-17 AND EQUIVALENT CABLES.

PE PASTERNAK®
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com

REV. D FSCM NO. 53919

CAD FILE 081512 SCALE N/A

SIZE A 2231