

SMA Male to TNC Male Adapter

TECHNICAL DATA SHEET

PE9076

Configuration

Connector 1 SMA Male Impedance 1 50 Ohms Connector Specification 1 MIL-STD-348 Connector 2 **TNC Male** Impedance 2 50 Ohms Connector Specification 2 MIL-STD-348 Adapter Design Standard Body Style Straight

Mechanical Specifications

Size

1.078 [27.38] Length, in [mm] Width/Dia., in [mm] 0.59 [14.99]

Connector 1

Type SMA Male Inner Conductor Material and Plating Gold Hex Size, in 5/16 Torque, in-lbs [Nm] 5 [0.57] Body Material and Plating Brass, Nickel Dielectric Type **PTFE**

Connector 2

TNC Male Type Inner Conductor Material and Plating Gold **Body Material and Plating** Brass, Nickel

Environmental Specifications

Temperature

Operating Range -65 to +165 deg C

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant **REACH Compliant** 06/18/2012

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male to TNC Male Adapter PE9076

PE9076 REV 1.0



ISO 9001: 2008 Registered





SMA Male to TNC Male Adapter

TECHNICAL DATA SHEET

PE9076

Plotted and Other Data

Notes:

· Values at +25 °C, sea level

SMA Male to TNC Male Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male to TNC Male Adapter PE9076

URL: http://www.pasternack.com/sma-male-tnc-male-straight-adapter-pe9076-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE9076 CAD Drawing

SMA Male to TNC Male Adapter

