

Mini UHF Male Right Angle Connector Crimp/ Solder Attachment For RG58



TECHNICAL DATA SHEET

PE44082

Mini UHF Male Right Angle Connector Crimp/Solder Attachment For RG58

Configuration

Connector Mini UHF Male Connector Interface Type RG58 Cable Attachment Method (Shield/Contact) Crimp/Solder Body Style Right Angle

Electrical Specifications

Impedance, Ohms 50

Mechanical Specifications

Size

Length, in [mm] 1.342 [34.09] 0.452 [11] Width/Dia., in [mm] Height, in [mm] 1.023 [25.98] Weight, lbs [g] 0.041 [18.6]

Connector

Mini UHF Male Type Contact Material and Plating Brass, Gold **Contact Plating Specification** 3µ in. minimum Coupling Nut Material and Plating Brass, Nickel Coupling Nut Plating Specification 100µ in. minimum Body Material and Plating Brass, Nickel **Body Plating Specification** 100µ in. minimum Dielectric Type Teflon

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Plotted and Other Data

Notes: Values at 25 °C, sea level

URL: http://www.pasternack.com/mini-uhf-male-standard-rg58-connector-pe44082-p.aspx

Mini UHF Male Right Angle Connector Crimp/Solder Attachment For RG58 from Pasternack Enterprises has same day shipment for domestic and International orders. We maintain 99% availability of the industry's broadest selection of RF, microwave and fiber optic products.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623

PE44082 CAD DrawingMini UHF Male Right Angle Connector Crimp/Solder Attachment For RG58

