



## SMP Female Connector Solder Attachment Thru Hole PCB

# TECHNICAL DATA SHEET

PE44939

Configuration

Connector SMP Female
Connector Specification DESC 94008
Connector Interface Type Thru Hole
Attachment Method (Shield/Contact) Solder
Body Style Straight

**Electrical Specifications** 

Impedance 50 Ohms

**Mechanical Specifications** 

Size

 Length
 0.283 in [7.19 mm]

 Width/Dia.
 0.187 in [4.75 mm]

 Weight
 0.082 lbs [37.19 g]

Connector

Type SMP Female
Contact Material and Plating Beryllium Copper, Gold
Contact Plating Specification MIL-G-45204
Body Material and Plating Beryllium Copper, Gold
Body Plating Specification MIL-G-45204
Dielectric Type PTFE

**Compliance Certifications** (visit www.Pasternack.com for current document) RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female Connector Solder Attachment Thru Hole PCB PE44939







## SMP Female Connector Solder Attachment Thru Hole PCB

# TECHNICAL DATA SHEET

PE44939

#### **Plotted and Other Data**

Notes:

• Values at +25 °C, sea level

SMP Female Connector Solder Attachment Thru Hole PCB from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female Connector Solder Attachment Thru Hole PCB PE44939

URL: http://www.pasternack.com/smp-female-standard-thru-hole-pcb-connector-pe44939-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



